




# BIT BROKERS INTERNATIONAL



## New Tricones

Size	IADC	Grade	Pin Size	SRT	Model#	Stock#
3 7/8	211	NEW	2 3/8	Y	BL211	333
4	211	NEW	2 3/8	Y	BT211	334
4 1/8	221	NEW	3 1/2	N	BT221	991
4 3/4	111	NEW	2 7/8	N	BT111	331
4 3/4	111	NEW	2 7/8	N	BT111	332
4 3/4	211	NEW	2 7/8	N	BL211	310
4 3/4	211	NEW	2 7/8	N	BL211	311
4 3/4	437	NEW	2 7/8	Y	BW437	306
4 3/4	437	NEW	2 7/8	Y	BW437	307
4 3/4	437	NEW	2 7/8	Y	BW437	308
4 3/4	437	NEW	2 7/8	Y	BW437	309
4 3/4	537	SURPLUS		Y	CUTTERS	94
4 3/4	547	NEW	2 7/8	Y	BM547	297
4 3/4	547	NEW	2 7/8	Y	BM547	298
4 3/4	547	NEW	2 7/8	Y	BM547	299
4 3/4	547	NEW	2 7/8	Y	BM547	300
4 3/4	547	NEW	2 7/8	Y	BM547	301
4 3/4	547	NEW	2 7/8	Y	BM547	302
4 3/4	547	NEW	2 7/8	Y	BM547	303
4 3/4	547	NEW	2 7/8	Y	BM547	305
4 3/4	631	NEW	2 7/8	N	BT631	335
4 3/4	741	NEW	2 7/8	N	BT741	330
5 1/8	527	NEW	2 7/8	N		1125
5 1/4	527	NEW	2 7/8	Y	BF527	292




# BIT BROKERS INTERNATIONAL



## New Tricones

Size	IADC	Grade	Pin Size	SRT	Model#	Stock#
5 1/2	211	NEW	2 7/8	N		1132
5 7/8	537	NEW	3 1/2	Y	BM537	288
5 7/8	537	NEW	3 1/2	Y	BM537	289
5 7/8	537	NEW	3 1/2	Y	BM537	290
5 7/8	537	NEW	3 1/2	Y	BM537	291
6	214	NEW	3 1/2	Y	Mach 216	1105
6	617	SURPLUS		Y	CUTTERS	89
6	617	SURPLUS		Y	CUTTERS	90
6	617	SURPLUS		Y	CUTTERS	91
6	617	SURPLUS		Y	CUTTERS	92
6	617	SURPLUS		Y	CUTTERS	93
6	627	SURPLUS		Y	CUTTERS	115
6	627	SURPLUS		Y	CUTTERS	116
6 1/8	214	NEW	3 1/2	Y	Mach 211	1104
6 1/8	517	NEW	3 1/2	Y	BM517	854
6 1/8	517	NEW	3 1/2	Y	BM517	855
6 1/8	625	NEW	3 1/2	N	C17	284
6 1/4	117	NEW	3 1/2	Y	PGSJF	981
6 1/4	117	NEW	3 1/2	Y	PGSJF	982
6 1/4	117	NEW	3 1/2	Y	PGSJF	983
6 1/4	117	NEW	3 1/2	Y	PGSJF	984
6 1/4	437	SURPLUS	4 1/2	Y	XL20	359
6 1/4	517	NEW	3 1/2	Y	BW625	283
6 1/4	517	NEW	3 1/2	Y	ER594	980



# BIT BROKERS INTERNATIONAL



## New Tricones


Size	IADC	Grade	Pin Size	SRT	Model#	Stock#
6 1/2	517	NEW	3 1/2	N	BW517	282
6 1/2	547	NEW	3 1/2	Y	BM547	852
6 1/2	547	NEW	3 1/2	Y	BM547	853
6 3/4	211	NEW	3 1/2	Y	MACH	274
6 3/4	211	NEW	3 1/2	Y	MACH	275
6 3/4	211	NEW	3 1/2	Y	MACH	276
6 3/4	211	NEW	3 1/2	Y	MACH	277
6 3/4	211	NEW	3 1/2	N	TR211	278
6 3/4	517	NEW	3 1/2	Y	BM517	279
6 3/4	517	NEW	3 1/2	Y	BM517	280
6 3/4	517	NEW	3 1/2	Y	BM517	281
6 3/4	537	NEW	3 1/2		K532	1127
6 3/4	617	SURPLUS		Y	CUTTERS	95
6 3/4	617	SURPLUS		Y	CUTTERS	96
6 3/4	617	SURPLUS		Y	CUTTERS	97
6 3/4	617	SURPLUS		Y	CUTTERS	98
6 3/4	617	SURPLUS		Y	CUTTERS	99
6 3/4	617	SURPLUS		Y	CUTTERS	100
6 3/4	617	SURPLUS		Y	CUTTERS	102
6 3/4	617	SURPLUS		Y	CUTTERS	103
6 3/4	617	SURPLUS		Y	CUTTERS	105
6 3/4	617	SURPLUS		Y	CUTTERS	106
6 3/4	617	SURPLUS		Y	CUTTERS	107
6 3/4	617	SURPLUS		Y	CUTTERS	108



# BIT BROKERS INTERNATIONAL

## New Tricones

Size	IADC	Grade	Pin Size	SRT	Model#	Stock#
6 3/4	617	SURPLUS		Y	CUTTERS	109
7 7/8	117	NEW	4 1/2	Y	SPGSJF	985
7 7/8	211	NEW	4 1/2	N	V2	1165
7 7/8	211	NEW	4 1/2	N	V2	1166
7 7/8	211	NEW	4 1/2	N	V2	1167
7 7/8	211	NEW	4 1/2	N	V2	1168
7 7/8	211	NEW	4 1/2	N	V2	1169
7 7/8	211	NEW	4 1/2	N	V2	1170
7 7/8	211	NEW	4 1/2	N	V2	1171
7 7/8	211	NEW	4 1/2	N	V2	1172
7 7/8	211	NEW	4 1/2	N	V2	1173
7 7/8	211	NEW	4 1/2	N	V2	1174
7 7/8	211	NEW	4 1/2	N	V2	1176
7 7/8	211	NEW	4 1/2	N	V2	1177
7 7/8	211	NEW	4 1/2	N	V2	1179
7 7/8	211	NEW	4 1/2	N	V2	1180
7 7/8	211	NEW	4 1/2	N	V2	1181
7 7/8	211	NEW	4 1/2	N	V2	1182
7 7/8	211	NEW	4 1/2	N	V2	1183
7 7/8	432	NEW	4 1/2	Y	K432	83
7 7/8	432	NEW	4 1/2		K432	1128
7 7/8	517	SURPLUS	4 1/2	N	51X	355
7 7/8	517	SURPLUS	4 1/2	Y	51X	356
7 7/8	517	SURPLUS	4 1/2	Y	51X	357




# BIT BROKERS INTERNATIONAL



## New Tricones

Size	IADC	Grade	Pin Size	SRT	Model#	Stock#
7 7/8	517	SURPLUS	4 1/2	Y	51X	358
7 7/8	532	NEW	4 1/2	Y	K532	81
7 7/8	532	NEW	4 1/2	Y	K532	82
7 7/8	532	NEW	4 1/2	Y	K532	84
7 7/8	532	NEW	4 1/2	Y	K532	85
7 7/8	532	NEW	4 1/2	Y	K532	86
7 7/8	532	NEW	4 1/2	Y	S532	987
7 7/8	532	NEW	4 1/2	Y	S532	988
7 7/8	532	NEW	4 1/2	Y	S532	989
7 7/8	627	NEW	4 1/2	Y	BM627	845
7 7/8	627	NEW	4 1/2	Y	BM627	846
7 7/8	627	NEW	4 1/2	Y	BM627	847
7 7/8	627	NEW	4 1/2	Y	BM627	848
7 7/8	627	NEW	4 1/2	Y	BM627	849
7 7/8	627	NEW	4 1/2	Y	BM627	850
7 7/8	627	NEW	4 1/2	Y	BM627	851
8 1/2	117	A	4 1/2	N	FGX	338
8 1/2	117	A	4 1/2	WP	MX1	339
8 1/2	337	SURPLUS	4 1/2		L4HJ	341
8 1/2	515	SURPLUS	4 1/2	N		340
8 1/2	515	SURPLUS	4 1/2	N		343
8 1/2	537	NEW	4 1/2	N	C3	1141
8 1/2	547	NEW	4 1/2	Y	C37	1142
8 1/2	547	NEW	4 1/2	Y	C37	1143




# BIT BROKERS INTERNATIONAL



## New Tricones

Size	IADC	Grade	Pin Size	SRT	Model#	Stock#
8 1/2	547	NEW	4 1/2	Y	C37	1144
8 1/2	547	NEW	4 1/2	Y	C37	1145
8 1/2	547	NEW	4 1/2	Y	C37	1146
8 1/2	547	NEW	4 1/2	Y	C45	1147
8 1/2	547	NEW	4 1/2	Y	C45	1148
8 1/2	547	NEW	4 1/2	Y	C45	1149
8 1/2	547	NEW	4 1/2	Y	C45	1150
8 1/2	547	NEW	4 1/2	Y	C45	1151
8 1/2	547	NEW	4 1/2	Y	C45	1152
8 1/2	547	NEW	4 1/2	Y	C15	1153
8 1/2	547	NEW	4 1/2	Y	C15	1154
8 1/2	547	NEW	4 1/2	Y	C27	1155
8 1/2	547	NEW	4 1/2	Y	C27	1156
8 1/2	547	NEW	4 1/2	Y	C27	1157
8 1/2	547	NEW	4 1/2	Y	C27	1158
8 1/2	547	NEW	4 1/2	Y	C18	1159
8 1/2	547	NEW	4 1/2	Y	C18	1160
8 1/2	547	NEW	4 1/2	Y	C48	1161
8 1/2	547	NEW	4 1/2	Y	C48	1162
8 1/2	625	SURPLUS	4 1/2	N	F3	342
8 3/4	117	NEW	4 1/2	N	HP11	986
8 3/4	517	SURPLUS	4 1/2	Y	EQH27R	337
8 3/4	617	SURPLUS		Y	CUTTERS	110
8 3/4	617	SURPLUS		Y	CUTTERS	111




# BIT BROKERS INTERNATIONAL



## New Tricones

Size	IADC	Grade	Pin Size	SRT	Model#	Stock#
8 3/4	617	SURPLUS		Y	CUTTERS	112
8 3/4	617	SURPLUS		Y	CUTTERS	113
8 3/4	617	SURPLUS		Y	CUTTERS	114
9	432	NEW	6 5/8	Y	K432	72
9	432	NEW	6 5/8	Y	K432	73
9	432	NEW	6 5/8	Y	K432	75
9	432	NEW	6 5/8	Y	K432	76
9	432	NEW	6 5/8	Y	K432	77
9	432	SURPLUS	6 5/8	Y	EX50HP	78
9	432	SURPLUS	6 5/8	Y	EX50HP	79
9 1/2	437	SURPLUS	6 5/8	N	HA437	370
9 1/2	437	SURPLUS	6 5/8	N	HA437	371
9 1/2	437	SURPLUS	6 5/8	N	HA437	372
9 1/2	437	SURPLUS	6 5/8	N	HA437	373
9 1/2	437	SURPLUS	6 5/8	N	HA437	374
9 5/8	111	NEW	6 5/8	N	L3A	1103
9 5/8	131	NEW	6 5/8	N		1184
9 5/8	131	NEW	6 5/8	N		1185
9 5/8	131	NEW	6 5/8	N		1186
9 5/8	131	NEW	6 5/8	N		1187
9 5/8	131	NEW	6 5/8	N		1188
9 5/8	131	NEW	6 5/8	N		1889
9 5/8	131	NEW	6 5/8	N		1190
9 5/8	131	NEW	6 5/8	N		1191



# BIT BROKERS INTERNATIONAL



## New Tricones

Size	IADC	Grade	Pin Size	SRT	Model#	Stock#
9 5/8	211	NEW	6 5/8	N		1192
9 5/8	211	NEW	6 5/8	N		1193
9 5/8	211	NEW	6 5/8	N		1194
9 5/8	131	NEW	6 5/8	N		1195
9 5/8	535	SURPLUS	6 5/8	N		367
9 5/8	535	SURPLUS	6 5/8	N		368
9 5/8	535	SURPLUS	6 5/8	N		369
9 5/8	537	SURPLUS		N	CUTTERS	88
9 7/8	115	SURPLUS	6 5/8	Y	GTX	365
9 7/8	115	SURPLUS	6 5/8	Y	GTX	366
9 7/8	117	NEW	6 5/8	N		363
9 7/8	117	NEW	6 5/8	N		364
9 7/8	527	SURPLUS	6 5/8	N	J22	362
10 5/8	121	NEW	6 5/8	N	BL221	25
10 5/8	121	NEW	6 5/8	N	BL221	26
10 5/8	121	NEW	6 5/8	N	BL221	27
10 5/8	121	NEW	6 5/8	N	BL221	28
10 5/8	121	NEW	6 5/8	N	BL221	29
10 5/8	125	NEW	6 5/8	N	R125	64
10 5/8	131	NEW	6 5/8	N	R131	67
10 5/8	211	NEW	6 5/8	N	BL221	32
10 5/8	211	NEW	6 5/8	N	BL221	33
10 5/8	211	NEW	6 5/8	N	BL221	34
10 5/8	211	NEW	6 5/8	N	BL221	35




# BIT BROKERS INTERNATIONAL



## New Tricones

Size	IADC	Grade	Pin Size	SRT	Model#	Stock#
10 5/8	211	NEW	6 5/8	N	BL221	36
10 5/8	211	NEW	6 5/8	N	BL221	37
10 5/8	211	NEW	6 5/8	N	BL221	38
10 5/8	211	NEW	6 5/8	N	BL211	945
10 5/8	211	NEW	6 5/8	N	BL211	948
10 5/8	211	NEW	6 5/8	N	BL211	949
10 5/8	211	NEW	6 5/8	N	BL211	950
10 5/8	211	NEW	6 5/8	N	BL211	951
10 5/8	211	NEW	6 5/8	N	BL211	952
10 5/8	211	NEW	6 5/8	N	BL211	953
10 5/8	211	NEW	6 5/8	N	BL211	955
10 5/8	211	NEW	6 5/8	N	BL211	958
10 5/8	225	NEW	6 5/8	N	R225	39
10 5/8	225	NEW	6 5/8	N	R225	40
10 5/8	225	NEW	6 5/8	N	R225	41
10 5/8	225	NEW	6 5/8	N	R225	42
10 5/8	225	NEW	6 5/8	N	R225	43
10 5/8	225	NEW	6 5/8	N	R225	44
10 5/8	225	NEW	6 5/8	N	R225	45
10 5/8	225	NEW	6 5/8	N	R225	46
10 5/8	225	NEW	6 5/8	N	R225	47
10 5/8	225	NEW	6 5/8	N	R225	48
10 5/8	225	NEW	6 5/8	N	R225	49
10 5/8	225	NEW	6 5/8	N	R225	50




# BIT BROKERS INTERNATIONAL



## New Tricones

Size	IADC	Grade	Pin Size	SRT	Model#	Stock#
10 5/8	225	NEW	6 5/8	N	R225	51
10 5/8	225	NEW	6 5/8	N	R225	52
10 5/8	225	NEW	6 5/8	N	R225	53
10 5/8	225	NEW	6 5/8	N	R225	54
10 5/8	225	NEW	6 5/8	N	R225	55
10 5/8	225	NEW	6 5/8	N	R225	56
10 5/8	225	NEW	6 5/8	N	R225	57
10 5/8	225	NEW	6 5/8	N	R225	58
10 5/8	225	NEW	6 5/8	N	R225	59
10 5/8	225	NEW	6 5/8	N	R225	60
10 5/8	225	NEW	6 5/8	N	R225	61
10 5/8	225	NEW	6 5/8	N	R225	62
10 5/8	225	NEW	6 5/8	N	R225	63
10 5/8	225	NEW	6 5/8	N	R225	65
10 5/8	225	NEW	6 5/8	N	R225	66
10 5/8	225	NEW	6 5/8	N	R225	68
10 5/8	225	NEW	6 5/8	N	R225	959
10 5/8	225	NEW	6 5/8	N	R225	960
10 5/8	225	NEW	6 5/8	N	R225	961
10 5/8	225	NEW	6 5/8	N	R225	962
10 5/8	225	NEW	6 5/8	N	R225	963
10 5/8	225	NEW	6 5/8	N	R225	964
10 5/8	225	NEW	6 5/8	N	R225	965
10 5/8	225	NEW	6 5/8	N	R225	966




# BIT BROKERS INTERNATIONAL



## New Tricones

Size	IADC	Grade	Pin Size	SRT	Model#	Stock#
10 5/8	225	NEW	6 5/8	N	R225	967
10 5/8	225	NEW	6 5/8	N	R225	968
10 5/8	412	NEW	6 5/8	Y	K412	69
10 5/8	412	NEW	6 5/8	Y	K412	70
10 5/8	525	NEW	6 5/8	N	BM525	408
10 5/8	525	NEW	6 5/8	N	BM525	409
10 5/8	525	NEW	6 5/8	N	BM525	410
10 5/8	525	NEW	6 5/8	N	BM525	411
11 5/8	525	NEW	6 5/8	N	BM525	402
11 5/8	525	NEW	6 5/8	N	BM525	403
11 5/8	525	NEW	6 5/8	N	BM525	404
11 5/8	525	NEW	6 5/8	N	BM525	405
11 5/8	525	NEW	6 5/8	N	BM525	406
12 1/4	124	NEW	6 5/8	N	BW124	385
12 1/4	124	NEW	6 5/8	N	BW124	386
12 1/4	124	NEW	6 5/8	N	BW124	387
12 1/4	124	NEW	6 5/8	N	BW124	388
12 1/4	124	NEW	6 5/8	N	BW124	389
12 1/4	124	NEW	6 5/8	N	BW124	390
12 1/4	124	NEW	6 5/8	N	BW124	391
12 1/4	124	NEW	6 5/8	N	BW124	392
12 1/4	124	NEW	6 5/8	N	BW124	393
12 1/4	124	NEW	6 5/8	N	BW124	394
12 1/4	124	NEW	6 5/8	N	BW124	395




# BIT BROKERS INTERNATIONAL



## New Tricones

Size	IADC	Grade	Pin Size	SRT	Model#	Stock#
12 1/4	124	NEW	6 5/8	N	BW124	396
12 1/4	124	NEW	6 5/8	N	BW124	397
12 1/4	124	NEW	6 5/8	N	BW124	398
12 1/4	124	NEW	6 5/8	N	BW124	399
12 1/4	124	NEW	6 5/8	N	BW124	400
12 1/4	124	NEW	6 5/8	N	BW124	979
12 1/4	211	NEW	6 5/8	N	BL211	969
12 1/4	211	NEW	6 5/8	N	BL211	970
12 1/4	211	NEW	6 5/8	N	BL211	971
12 1/4	211	NEW	6 5/8	N	BL211	972
12 1/4	211	NEW	6 5/8	N	BL211	973
12 1/4	211	NEW	6 5/8	N	BL211	974
12 1/4	417	NEW	6 5/8	Y	BW417	376
12 1/4	417	NEW	6 5/8	Y	BW417	377
12 1/4	625	NEW	6 5/8	Y	BW625	378
12 1/4	625	NEW	6 5/8	Y	BW625	379
12 1/4	625	NEW	6 5/8	N	BW625	380
12 1/4	625	NEW	6 5/8	Y	BW625	381
13 3/8	535	NEW	6 5/8	Y	BW535	538
13 3/4	545	NEW	6 5/8	Y	BM545	535
14 3/4	115	NEW	6 5/8	N	BG115	555
14 3/4	535	NEW	6 5/8	N	BW535C	540
14 3/4	535	NEW	6 5/8	Y	BM535	541
14 3/4	535	NEW	6 5/8	Y	BM535	543



# BIT BROKERS INTERNATIONAL



## New Tricones

Size	IADC	Grade	Pin Size	SRT	Model#	Stock#
14 3/4	535	NEW	6 5/8	Y	BW535	546
14 3/4	535	NEW	7 5/8	Y	BM535	830
14 3/4	535	NEW	7 5/8	Y	BM535	839
14 3/4	535	NEW	7 5/8	Y	BM535	840
14 3/4	535	NEW	7 5/8	Y	BM535	841
14 3/4	535	NEW	7 5/8	Y	BM535	842
15 1/2	115	NEW	7 5/8	N	BW115	553
15 1/2	115	NEW	7 5/8	N	BW115	554
15 1/2	545	NEW	7 5/8	N	BW545	559
15 1/2	545	NEW	7 5/8	N	BM545	843
15 1/2	545	NEW	7 5/8	N	BM545	844
17	221	SURPLUS	7 5/8	N		21
17	221	SURPLUS	7 5/8	N		22
17	221	SURPLUS	7 5/8	N		23
17 1/2	115	NEW	7 5/8	N	BG115	547
17 1/2	115	NEW	7 5/8	N	BG115	548
17 1/2	215	NEW	7 5/8	Y	BW215	551
17 1/2	215	NEW	7 5/8	Y	BW215	552
17 1/2	435	NEW	7 5/8	N	BW435	566
17 1/2	535	NEW	7 5/8	N	BW535	558
17 1/2	535	NEW	7 5/8	Y	BW535	561
17 1/2	535	NEW	7 5/8	Y	BW535	563
17 1/2	535	NEW	6 5/8	Y	BW515	978
26	221	SURPLUS	7 5/8	N		20